


AMENDMENTS TO THE CLAIMS

1. (Original) A fungicidal mixture for controlling harmful fungi, which mixture comprises


- 1) the triazolopyrimidine derivative of the formula I



I

and

- 2) tridemorph of the formula II



II

in which n is 10, 11, 12 (60-70%) or 14,

in a synergistically effective amount.

2. (Original) The fungicidal mixture as claimed in claim 1, comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.

3. (Currently Amended) A composition, comprising a liquid or solid carrier and a mixture as claimed in claim 1 ~~or 2~~.
4. (Original) A method for controlling harmful fungi, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and the compound II as set forth in claim 1.
5. (Currently Amended) The method according to claim 4, wherein the compounds I and II ~~as set forth in claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently Amended) The method according to claim ~~4 or 5~~, wherein rice-pathogenic harmful fungi are controlled.
7. (Currently Amended) The method according to ~~any of claims 4 to 6~~ claim 4, wherein the compounds I and II ~~as set forth in claim 1~~ or the mixture ~~as claimed in claim 1 or 2~~ are applied in an amount of from 5 g/ha to 1000 g/ha.
8. (Currently Amended) The method according to ~~any of claims 4 to 6~~ claim 4, wherein the compounds I and II ~~as set forth in claim 1~~ or the mixture ~~as claimed in claim 1 or 2~~ are applied in an amount of from 1 to 1000 g/100 kg of seed.

9. (Currently Amended) Seed, comprising the mixture as claimed in claim 1 ~~or 2~~ in an amount of from 1 to 1000 g/100 kg.
10. (Original) The use of the compounds I and II as set forth in claim 1 for preparing a composition suitable for controlling harmful fungi.
11. (New) A composition, comprising a liquid or solid carrier and a mixture as claimed in claim 2.
12. (New) The method wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
13. (New) The method according to claim 5, wherein rice-pathogenic harmful fungi are controlled.
14. (New) The method according to claim 5, wherein the compounds I and II or the mixture are applied in an amount of from 5 g/ha to 1000 g/ha.
15. (New) The method according to claim 6, wherein the compounds I and II or the mixture are applied in an amount of from 5 g/ha to 1000 g/ha.

16. (New) The method wherein the compounds I and II as set forth in claim 1 or the mixture are applied in an amount of from 5 g/ha to 1000 g/ha.
17. (New) The method wherein the compounds I and II or the mixture as claimed in claim 1 are applied in an amount of from 5 g/ha to 1000 g/ha.
18. (New) The method wherein the compounds I and II or the mixture as claimed in claim 2 are applied in an amount of from 5 g/ha to 1000 g/ha.
19. (New) The method according to claim 5, wherein the compounds I and II or the mixture are applied in an amount of from 1 to 1000 g/100 kg of seed.
20. (New) The method according to claim 6, wherein the compounds I and II or the mixture are applied in an amount of from 1 to 1000 g/100 kg of seed.